

## Quote SO

Burton's Fire Inc.

County of Tulare Fire Department  
 Clay Smith  
 907 W. Visalia Rd  
 Farmersville, CA 93223  
 559-747-8233  
 csmith@co.tulare.ca.us

17623 Tulare Co. CA.  
 OK KA  
 7/12/2017

**Exp. Date:** 10/28/2016  
**Quote No:** 10021-0035  
**Job/Order No:** 17623 OK KA  
**PUMPER:** C0-00-0100 ROSENBAUER FX/FL SNGL AXL PMPR/TNKR  
**BID PREP:** C0-01-0010 Pumper/Tanker Bid Prep Forms  
**WARRANTY:** C0-01-1010 Pumper/Tanker Warranties  
**CAB:** CHASSIS Use Drop Down For Chassis Options  
**ELEC-DC:** C0-50-0000 Pumper/Tanker-DC Electrical System  
**CHS MODS:** C0-02-0000 Pumper/Tanker-Chassis Modifications  
**PLUMBING:** C0-20-0000 Midship Pumper/Tanker Pump & Plumbing  
**PUMP COMPT:** C0-26-0000 Pumper/Tanker-Side Mount Pump Compt  
**BODY-PMPR:** C0-30-1400 HLHD/HRHD Single Axle Pumper/Tanker  
**BODY-CMMN:** C0-44-0000 Pumper/Tanker-Common Body Parts  
**ELEC-AC:** C0-60-0000 Pumper/Tanker-AC Electrical System  
**EQUIP-SYST:** C0-70-0000 Pumper/Tanker-Equipment Systems  
**PAINT:** C0-80-0000 Pumper/Tanker - Single Axle - Pnt/Ltr/St  
**EQUIP-LSE:** C0-90-0000 Pumper/Tanker - Loose Equipment

08/07/2017

Page 1

| PART NO    | S | DESCRIPTION                                                  | QTY | ID  |
|------------|---|--------------------------------------------------------------|-----|-----|
|            | S | #17623 Tulare W/CO1 OKKA Prod 7/12/17                        | 1   | RAS |
| 00-00-0100 | S | BODY DESIGN PRICE ADJUSTMENT                                 | 1   | RAS |
| 00-00-1500 | S | < > MAXIMUM OVERALL HEIGHT 115"                              | 1   | RAS |
|            |   | Max Height can not be over 115 1/2"                          |     |     |
|            |   | <b><u>MAX HEIGHT</u></b>                                     |     |     |
|            |   | The maximum height of the apparatus shall not exceed: 115"   |     |     |
| 00-00-1510 | S | < > MAXIMUM OVERALL LENGTH:27' 1"                            | 1   | RAS |
|            |   | Can not be over 27' 3"                                       |     |     |
|            |   | <b><u>MAX LENGTH</u></b>                                     |     |     |
|            |   | The maximum length of the apparatus shall not exceed: 27' 1" |     |     |
| 00-00-1520 | S | > MAXIMUM OVERALL WIDTH 121"                                 | 1   | RAS |
|            |   | <b><u>MAX WIDTH</u></b>                                      |     |     |
|            |   | The maximum width of the apparatus shall not exceed: 121"    |     |     |
| 00-00-1529 |   | Wheelbase Restriction, NONE                                  | 1   | RAS |

| PART NO           | S | DESCRIPTION                                                                                                                          | QTY      | ID          |
|-------------------|---|--------------------------------------------------------------------------------------------------------------------------------------|----------|-------------|
| 00-00-1539        |   | Angle of Approach, NFPA Minimum, 8 Degrees                                                                                           | 1        | RAS         |
| 00-00-1549        |   | Angle of Departure, NFPA Minimum, 8 Degrees                                                                                          | 1        | RAS         |
| 01-06-0500        |   | Calculated Center of Gravity                                                                                                         | 1        | RAS         |
| 01-07-0060        |   | -- Technical Drawings, Representative Drawings (3-View)<br>(Left/Right/Rear)                                                         | 1        | RAS         |
|                   |   | <b>== Pumper/Tanker Warranties - 822.160 08/22/16 ==</b>                                                                             | <b>1</b> | <b>RAS</b>  |
| 01-16-0150        |   | -- Warranty, Apparatus, Bumper to Bumper, 1 Year                                                                                     | 1        | RAS         |
| 01-19-0250        |   | -- Warranty, Bdy, Alum, 5 Years                                                                                                      | 1        | RAS         |
| 01-19-2800        |   | -- Warranty, Subframe, Lifetime Galv                                                                                                 | 1        | RAS         |
| 01-20-0250        |   | -- Warranty, Paint, PPG, 5 Years                                                                                                     | 1        | RAS         |
| <b>01-21-0150</b> |   | <b> -- Warranty, Lettering and Striping, 1 Year</b>                                                                                  | <b>1</b> | <b>RAS</b>  |
| <b>01-17-0650</b> |   | <b> -- Pump Warranty, Hale Lmt'd Std, 5 Years,(2 yrs P/L-3 yrs P)</b>                                                                | <b>1</b> | <b>RAS</b>  |
| <b>01-17-0662</b> |   | <b> -- Pump Warranty, Hale, 2 Year Add'l Labor</b>                                                                                   | <b>1</b> | <b>RAS</b>  |
| 01-17-1050        |   | -- Plmbg Warranty, Stnls Stl, 10 Years                                                                                               | 1        | RAS         |
| 01-33-3100        |   | -- Mnls, Bdy Complete, 1 Set Printed With CD                                                                                         | 1        | RAS         |
| 01-33-3400        |   | -- Mnls, Bdy Complete, Electronic Internet Service                                                                                   | 1        | RAS         |
|                   |   | <b>== Use Drop Down For Chassis Options - 822.016 08/22/16 ==</b>                                                                    | <b>1</b> | <b>RAC2</b> |
|                   |   | <b>== Pumper/Tanker-DC Electrical System - 822.160 08/22/16 ==</b>                                                                   | <b>1</b> | <b>RAS</b>  |
| 50-03-1000        |   | Elecal, Base, Standard, W/O Load Mgmt                                                                                                | 1        | RAS         |
| 50-05-1510        |   | -- Electrical Jct Box, Weather Resistant                                                                                             | 1        | RAS         |
| <b>50-10-2000</b> |   | <b> -- High Idle System</b>                                                                                                          | <b>1</b> | <b>RAS</b>  |
| <b>50-12-1120</b> |   | <b>Swch Panel/Elecal Console, Btwn Cab Seats, Blk Thrn Ctd</b>                                                                       | <b>1</b> | <b>RAS</b>  |
| <b>50-15-1100</b> | < | <b>Batteries, With Supl'd Chs</b>                                                                                                    | <b>1</b> | <b>RAS</b>  |
|                   |   | >>Install in officer side step compartment                                                                                           |          |             |
| 50-15-3100        |   | Battery Swch, Mstr Disconnect , Chs Sppld                                                                                            | 1        | RAS         |
| <b>50-41-3000</b> |   | <b>Air Horns, (2) Rcscd, One Ea Side Bumper, 24.5" Stuttertone, Chrome</b>                                                           | <b>1</b> | <b>RAS</b>  |
| <b>50-43-2100</b> | > | <b> -- Air Horn Cntrl, Driver, Sgle Ft Swch</b>                                                                                      | <b>1</b> | <b>RAS</b>  |
| <b>51-00-1700</b> | < | <b> -- 12V Power/Ground, 30A, Radio Lctn</b>                                                                                         | <b>1</b> | <b>RAS</b>  |
|                   |   | >>Route to center console.                                                                                                           |          |             |
| <b>51-00-4000</b> |   | <b> -- Switched Power, Thru Master</b>                                                                                               | <b>1</b> | <b>RAS</b>  |
| <b>51-00-2112</b> |   | <b> -- 12V Dual USB Power Outlet, 5V 2.1A Output, Center Console</b>                                                                 | <b>1</b> | <b>RAS</b>  |
| <b>51-00-4010</b> |   | <b> -- Constant Power</b>                                                                                                            | <b>1</b> | <b>RAS</b>  |
| <b>51-00-2100</b> | S | <b> -- S.O.R. / 12V Power Outlet (Cigarette Style) 15A, Center Console</b>                                                           | <b>2</b> | <b>RAS</b>  |
|                   |   | <b><u>12 VOLT POWER SOURCE</u></b>                                                                                                   |          |             |
|                   |   | Two (2) 12 volt cigarette lighter style power connection rated at 15<br>amps shall be provided in the center console of the chassis. |          |             |
| <b>51-00-4010</b> |   | <b> -- Constant Power</b>                                                                                                            | <b>2</b> | <b>RAS</b>  |
| <b>51-05-6200</b> |   | <b>Lt, Engine Cmpt, 12 Volt LED, w/Switch</b>                                                                                        | <b>1</b> | <b>RAS</b>  |
| <b>51-05-9000</b> |   | <b> -- Switch on Light Head</b>                                                                                                      | <b>1</b> | <b>RAS</b>  |
| <b>51-05-6400</b> |   | <b>Lt, Pump Cmpt, 12 Volt LED With Swch</b>                                                                                          | <b>1</b> | <b>RAS</b>  |
| <b>51-05-9000</b> |   | <b> -- Switch on Light Head</b>                                                                                                      | <b>1</b> | <b>RAS</b>  |
| 51-20-3010        |   | === 12-Volt Flood Lt Mntg, Pmpr/Tnkr, Location 1                                                                                     | 1        | RAS         |
| <b>51-20-3100</b> | > | <b> -- Fldlt, Mntg Lctn, Front Edge Of Cab Roof</b>                                                                                  | <b>1</b> | <b>RAS</b>  |
| <b>51-15-4182</b> |   | <b> -- Fldlt, Fire Research, Spectra SPA800-Q15, 15,000 Lmns,<br/>Contour Brow Mnt</b>                                               | <b>1</b> | <b>RAS</b>  |
| <b>51-20-4200</b> | > | <b> -- Lt Swch , Remote Lctn, In Chassis Cab</b>                                                                                     | <b>1</b> | <b>RAS</b>  |
| <b>54-15-6002</b> |   | <b> -- Scene Lt Swch , Front Scene Lts, Cab Switch Panel</b>                                                                         | <b>1</b> | <b>RAS</b>  |
| 51-20-3020        |   | === 12-Volt Flood Lt Mntg, Pmpr/Tnkr, Location 2                                                                                     | 1        | RAS         |
| 51-20-3030        |   | === 12-Volt Flood Lt Mntg, Pmpr/Tnkr, Location 3                                                                                     | 1        | RAS         |
| 51-20-3040        |   | === 12-Volt Flood Lt Mntg, Pmpr/Tnkr, Location 4                                                                                     | 1        | RAS         |
| 52-01-1200        |   | Back Up Alarm                                                                                                                        | 1        | RAS         |

| PART NO    | S   | DESCRIPTION                                                                                                                                             | QTY | ID  |
|------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 52-02-1400 |     | > Back Up Camera, Federal Signal, Color CAMSET70-NTSC-4                                                                                                 | 1   | RAS |
| 52-06-1107 |     | Fog Lamps, LED, Rect, White, Rigid Industries, Pair 50481                                                                                               | 1   | RAS |
| 52-06-1191 |     | -- Fog Lamp Lctn, Bumper, Below, Outboard, One Ea Side                                                                                                  | 1   | RAS |
| 52-10-4100 | <   | > Intercom System, Sigtronics, US45S (up to 4 + pump panel)<br>>>Officer/ driver plug in modules to be located inboard and behind heads.                | 1   | RAS |
|            |     | >>Crew shall be centered above middle seat on ceiling.                                                                                                  |     |     |
| 52-10-4110 |     | -- Headset, Intercom , Sigtronics                                                                                                                       | 4   | RAS |
| 52-10-6110 | <   | -- Radio, Cstmer Supl'd, Installation w/Interface<br>>>Route to center console.                                                                         | 1   | RAS |
| 52-15-1200 | < > | Radio Antenna Base, Supply and Install, Ea<br>>>Route to center console.                                                                                | 1   | RAS |
| 52-15-1300 | <   | Radio Chrgr, Install Cstmer Supl'd, 12V, Ea<br>>>Shall be installed on the center console. Exact location to be determined at the mid-point inspection. | 2   | RAS |
| 53-01-1200 |     | Marker Lts, LED, DOT Requirements                                                                                                                       | 1   | RAS |
| 53-02-1200 | <   | License Plate Brkt, Stainless w/ LED Lt, Rr,<br>>>Install on passenger side                                                                             | 1   | RAS |
| 53-03-0060 |     | Whelen Rr DOT LED Ltng Pkg (4x6)                                                                                                                        | 1   | RAS |
| 53-03-2600 |     | -- Tail/Brake Lts, Whelen, LED, 4"x6" (Pair)                                                                                                            | 1   | RAS |
| 53-04-2600 |     | -- Turn Signals, Whelen, LED w/ Arrow, 4"x6" (Pair)                                                                                                     | 1   | RAS |
| 53-06-3500 |     | -- Backup Lts, Whelen, LED, 4"x6" (Pair)                                                                                                                | 1   | RAS |
| 53-07-1200 | >   | -- Tail Lt Bezel, 4 Lts (Pair)                                                                                                                          | 1   | RAS |
| 54-01-0500 |     | === LED Ground Lts - Pmpr/Tnkr ===                                                                                                                      | 1   | RAS |
| 54-01-1200 |     | -- Ground Lts, Frnt Bmpr, LED, Pair                                                                                                                     | 1   | RAS |
| 54-02-1520 |     | -- Ground Lts, Cab, 4-Dr, LED, Whelen 3SC0CDCR Four                                                                                                     | 1   | RAS |
| 54-03-1200 |     | -- Ground Lts, Pump Panel, LED, Pair                                                                                                                    | 1   | RAS |
| 54-03-1600 |     | -- Ground Lts, Rr Step, LED, Pair                                                                                                                       | 1   | RAS |
| 54-03-1800 |     | -- Ground Lts, Behind Rr Whls, LED, Pair                                                                                                                | 1   | RAS |
| 54-04-1999 |     | -- Lt Swtch , Ground Lts w/ Park Brake                                                                                                                  | 1   | RAS |
| 54-10-1450 | <   | Step Lt, Rr Tailboard, LED, Ea<br>>>Driver's side light shall be level with the license plate bracket.                                                  | 2   | RAS |
| 54-11-2100 |     | Lt Swtch , Step/Wlkwy Lts Wired Park Brake Swtch                                                                                                        | 1   | RAS |
| 54-15-4510 | >   | -- Scene Lt, Fire Research, LED SPA900-Q70, Surface Mount                                                                                               | 6   | RAS |
| 54-15-5500 |     | -- Scene Lt Lctn, Left Side Of Bdy                                                                                                                      | 2   | RAS |
| 54-15-1460 |     | -- Scene Lt, Mntg Plate, Tread Plate                                                                                                                    | 2   | RAS |
| 54-15-5600 |     | -- Scene Lt Lctn, Right Side Of Bdy                                                                                                                     | 2   | RAS |
| 54-15-1460 |     | -- Scene Lt, Mntg Plate, Tread Plate                                                                                                                    | 2   | RAS |
| 54-15-5700 |     | -- Scene Lt Lctn, Rr Of Bdy                                                                                                                             | 2   | RAS |
| 54-15-6470 |     | -- 3-Way Cntrl Swtch, Left Scene Lts, Cab Dash/Pmp Pnl                                                                                                  | 1   | RAS |
| 54-15-6570 |     | -- 3-Way Cntrl Swtch, Right Scene Lts, Cab Dash/Pmp Pnl                                                                                                 | 1   | RAS |
| 54-15-6670 |     | -- 3-Way Cntrl Swtch, Rr Scene Lts, Cab Dash/Pmp Pnl                                                                                                    | 1   | RAS |
| 54-15-6700 |     | -- Scene Lt Swtch , Rr Scene Lts, Auto w/ Reverse                                                                                                       | 1   | RAS |
| 55-11-2100 |     | Dr Open/Hazard Wrn Lt, Flashing LED Whelen OS                                                                                                           | 1   | RAS |
| 55-14-1100 |     | Dr Open/Hazard Wrn Alarm, Buzzer                                                                                                                        | 1   | RAS |
| 56-06-0950 | >   | Siren, F-S, e-Q2B, Elect #EQ2B-200                                                                                                                      | 1   | RAS |
| 56-02-1410 |     | -- Spkr, F-S BP200-EF, 200 Watt                                                                                                                         | 1   | RAS |
| 56-03-1800 |     | -- Spkr Lctn, To Be Determined by Body Mfg                                                                                                              | 1   | RAS |
| 56-07-1300 |     | -- Siren Cntrl, F-S, Q2B, Driver's Side Foot Swtch                                                                                                      | 1   | RAS |
| 56-07-1500 |     | -- Siren Cntrl, F-S, Q2B, Dash Button, Officer's Side                                                                                                   | 1   | RAS |

| PART NO    | S | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | QTY      | ID         |
|------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
|            |   | <b>EMERGENCY LIGHTING PACKAGES</b>                                                                                                                                                                                                                                                                                                                                                                                                                                            | <b>1</b> | <b>RAS</b> |
|            |   | <b>CAB LIGHTBARS - UPPER ZONE A</b>                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>1</b> | <b>RAS</b> |
| 57-02-1000 |   | >  -- === Whelen Lt Bars - Long ===                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>1</b> | <b>RAS</b> |
| 57-02-1900 | S | >  -- Lt Bar, Whelen, Justice, LED, 56" JE2NFPA                                                                                                                                                                                                                                                                                                                                                                                                                               | <b>1</b> | <b>RAS</b> |
|            |   | <b><u>LIGHTBAR</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |            |
|            |   | One (1) Whelen Justice series light bar shall be included with the apparatus cab. The light bar shall be a model JE2NFPA and shall be mounted on the roof of the cab, towards the front, above the windshield.                                                                                                                                                                                                                                                                |          |            |
|            |   | The light bar shall feature:                                                                                                                                                                                                                                                                                                                                                                                                                                                  |          |            |
|            |   | <ul style="list-style-type: none"> <li>• A 56" light bar designed for high performance</li> <li>• Four (4) red Linear Super LED corner modules</li> <li>• Four (4) red CON3 LED hinged modules</li> <li>• Two (2) white CON3 LED hinged modules with exterior clear optic lenses</li> <li>• Clear hard coated lenses to provide extended life/luster protection against UV &amp; chemical stresses</li> <li>• Designed in accordance with NFPA Zone A requirements</li> </ul> |          |            |
| 57-03-7500 | S | <b><u>  -- Lt, Steady Burn, Red, Install in Lt Bar, Cal. DOT LIGHTBAR OPTION</u></b>                                                                                                                                                                                                                                                                                                                                                                                          | <b>1</b> | <b>RAS</b> |
|            |   | Two (2) steady burn RED light shall be installed in the lightbar in accordance with California Title 13 requirements.                                                                                                                                                                                                                                                                                                                                                         |          |            |
| 57-10-0600 | S | <b><u>  -- S.o.R./ Lightbar Cntrl, with Master Warning Switch LIGHTBAR ACTIVATION</u></b>                                                                                                                                                                                                                                                                                                                                                                                     | <b>1</b> | <b>RAS</b> |
|            |   | The front upper light bar shall be activated through the master warning switch.                                                                                                                                                                                                                                                                                                                                                                                               |          |            |
|            |   | <b><u>WARNING LIGHT ACTIVATION</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                        |          |            |
|            |   | The warning lights shall be controlled by a single red Master switch. The zones shall be controlled by sub-master switches so that specific groups of lights may be selected or deselected as required. The groups shall be as follows and in order from left to right:                                                                                                                                                                                                       |          |            |
|            |   | E-Warning Master                                                                                                                                                                                                                                                                                                                                                                                                                                                              |          |            |
|            |   | -Lightbar (Excluding rear facing amber lights)                                                                                                                                                                                                                                                                                                                                                                                                                                |          |            |
|            |   | -Rear Facing Ambers                                                                                                                                                                                                                                                                                                                                                                                                                                                           |          |            |
|            |   | -Front and side warning lights                                                                                                                                                                                                                                                                                                                                                                                                                                                |          |            |
|            |   | -Rear Warning lights.                                                                                                                                                                                                                                                                                                                                                                                                                                                         |          |            |
| 58-71-1520 |   | <b><u>  -- Wrn Lts, Whelen, Upper Rr (2) #600 S LED</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>1</b> | <b>RAS</b> |
| 57-20-4010 |   | <b><u>  -- Wrn Lt, Drvr, Whelen, 600 Red LED, Color Lens, Ea</u></b>                                                                                                                                                                                                                                                                                                                                                                                                          | <b>1</b> | <b>RAS</b> |
| 57-20-4011 |   | <b><u>  -- Wrn Lt, Offcr, Whelen, 600 Red LED, Color Lens, Ea</u></b>                                                                                                                                                                                                                                                                                                                                                                                                         | <b>1</b> | <b>RAS</b> |
| 58-01-2240 |   | <b><u>  -- Flange, Chrome, Wrn Lt, Whln, 600, Ea</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>2</b> | <b>RAS</b> |

| PART NO                                      | S   | DESCRIPTION                                                                                                                                                                                                          | QTY | ID  |
|----------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 58-46-0999                                   |     | -- === NO Upper Side Frnt Bdy Wrn Lts - PTS ===                                                                                                                                                                      | 1   | RAS |
| 58-61-1520                                   | S < | -- Wrn Lts, Whelen, Upper Side Rr (2) #600 S-LED                                                                                                                                                                     | 2   | RAS |
|                                              |     | QTY: 1                                                                                                                                                                                                               |     |     |
| <b><u>UPPER SIDE REAR WARNING LIGHTS</u></b> |     |                                                                                                                                                                                                                      |     |     |
|                                              |     | Two (2) pair of Whelen model #600 red Super LED warning lights shall be installed, one each side on the upper portion of the body side, towards the rear of the body. The dimensions of the lights shall be 4" x 6". |     |     |
| 57-20-4010                                   | S < | -- Wrn Lt, Drvr, Whelen, 600 Red LED, Color Lens, Ea                                                                                                                                                                 | 2   | RAS |
|                                              |     | QTY: 1                                                                                                                                                                                                               |     |     |
|                                              |     | The driver side warning light shall be a Whelen Model 60R02FRR red-LED with a red lens.                                                                                                                              |     |     |
| 57-20-4011                                   | S < | -- Wrn Lt, Offcr, Whelen, 600 Red LED, Color Lens, Ea                                                                                                                                                                | 2   | RAS |
|                                              |     | QTY: 1                                                                                                                                                                                                               |     |     |
|                                              |     | The officer side warning light shall be a Whelen Model 60R02FRR red-LED with a red lens.                                                                                                                             |     |     |
| 58-01-2240                                   | S < | -- Flange, Chrome, Wrn Lt, Whln, 600, Ea                                                                                                                                                                             | 4   | RAS |
|                                              |     | QTY: 2                                                                                                                                                                                                               |     |     |
|                                              |     | Each light shall be mounted with a Whelen Model 6EFLANGE chrome flange.                                                                                                                                              |     |     |
| <b>CAB WARNING LTS</b>                       |     |                                                                                                                                                                                                                      |     |     |
| 58-03-1000                                   |     | -- === Whelen LwrFront Wrn Lts (#700 Hlgn Default) ===                                                                                                                                                               | 1   | RAS |
| 58-03-1520                                   |     | -- Wrn Lts, Whelen, Low Frnt, (2) #600 S-LED                                                                                                                                                                         | 1   | RAS |
| 57-20-4010                                   |     | -- Wrn Lt, Drvr, Whelen, 600 Red LED, Color Lens, Ea                                                                                                                                                                 | 1   | RAS |
| 57-20-4011                                   |     | -- Wrn Lt, Offcr, Whelen, 600 Red LED, Color Lens, Ea                                                                                                                                                                | 1   | RAS |
| 58-01-2240                                   |     | -- Flange, Chrome, Wrn Lt, Whln, 600, Ea                                                                                                                                                                             | 1   | RAS |
|                                              |     | <b>SIDE WARN LTS - LOWER ZONE B and ZONE D</b>                                                                                                                                                                       | 1   | RAS |
| 58-09-1520                                   |     | -- Wrn Lts, Whelen, Intrsct (2) #600 S-LED                                                                                                                                                                           | 1   | RAS |
| 57-20-4010                                   |     | -- Wrn Lt, Drvr, Whelen, 600 Red LED, Color Lens, Ea                                                                                                                                                                 | 1   | RAS |
| 57-20-4011                                   |     | -- Wrn Lt, Offcr, Whelen, 600 Red LED, Color Lens, Ea                                                                                                                                                                | 1   | RAS |
| 58-01-1400                                   |     | -- Bezels, Chrome, Wrn Intrst Lts Ford Chassis (1 pair)                                                                                                                                                              | 1   | RAS |
| 58-26-2400                                   | >   | -- Wrn Lts, Whelen, Low Mid Bdy (2) M2 LED, in Rub Rail                                                                                                                                                              | 1   | RAS |
| 57-20-1000                                   |     | -- Wrn Lt, Drvr, Whelen, M2, Red LED, Color Lens, Ea                                                                                                                                                                 | 1   | RAS |
| 57-20-1001                                   |     | -- Wrn Lt, Offcr, Whelen, M2, Red LED, Color Lens, Ea                                                                                                                                                                | 1   | RAS |
| 58-36-2400                                   | >   | -- Wrn Lts, Whelen, Low Rr Side (2) M2 LED, in Rub Rail                                                                                                                                                              | 1   | RAS |
| 57-20-1000                                   |     | -- Wrn Lt, Drvr, Whelen, M2, Red LED, Color Lens, Ea                                                                                                                                                                 | 1   | RAS |
| 57-20-1001                                   |     | -- Wrn Lt, Offcr, Whelen, M2, Red LED, Color Lens, Ea                                                                                                                                                                | 1   | RAS |
| 58-81-1520                                   |     | -- Wrn Lts, Whelen, Low Rr (2) #600 S-LED                                                                                                                                                                            | 1   | RAS |
| 57-20-4010                                   |     | -- Wrn Lt, Drvr, Whelen, 600 Red LED, Color Lens, Ea                                                                                                                                                                 | 1   | RAS |
| 57-20-4011                                   |     | -- Wrn Lt, Offcr, Whelen, 600 Red LED, Color Lens, Ea                                                                                                                                                                | 1   | RAS |
| 58-91-1200                                   |     | Traffic Arrow, Whelen, 36" 500 Series 5MM LED, TAL65                                                                                                                                                                 | 1   | RAS |

| PART NO    | S | DESCRIPTION                                                                                                                                                                                                                                                                                                                             | QTY | ID  |
|------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 58-95-1400 |   | <b>Traffic Arrow Lt Mntg, Surface Mt, Below Intmdt Rr Step</b>                                                                                                                                                                                                                                                                          | 1   | RAS |
|            |   | <b>== Pumper/Tanker-Chassis Modifications - 822.160 08/22/16 ==</b>                                                                                                                                                                                                                                                                     | 1   | RAS |
|            |   | <b>PLACARDS and LABELING</b>                                                                                                                                                                                                                                                                                                            | 1   | RAS |
| 10-02-1100 |   | -- Label, Data, Fluid Levels                                                                                                                                                                                                                                                                                                            | 1   | RAS |
| 10-02-1200 |   | -- Label, Data, Height x Length, Weight                                                                                                                                                                                                                                                                                                 | 1   | RAS |
| 10-02-1300 |   | -- Label, Data, "No Ride" Rr Step                                                                                                                                                                                                                                                                                                       | 1   | RAS |
| 10-02-2100 |   | -- Label, Indicating Number of Seats                                                                                                                                                                                                                                                                                                    | 1   | RAS |
| 10-02-2500 |   | -- Label, "Caution: Do Not Wear Helmet While Seated"                                                                                                                                                                                                                                                                                    | 1   | RAS |
|            |   | <b>FRAME PREP and MODIFICATIONS</b>                                                                                                                                                                                                                                                                                                     | 1   | RAS |
| 10-03-6000 |   | -- Tow Plates (2), Rr Frame Rail, Under Step                                                                                                                                                                                                                                                                                            | 1   | RAS |
| 80-43-2400 |   | -- <b>Painting, Tow Plates, Blk</b>                                                                                                                                                                                                                                                                                                     | 1   | RAS |
|            |   | <b>BUMPER MODIFICATIONS - EXTENSIONS - COMPARTMENTS</b>                                                                                                                                                                                                                                                                                 | 1   | RAS |
| 10-04-0100 |   | -- ===== <b>Commercial Chassis Front Bumper</b> =====                                                                                                                                                                                                                                                                                   | 1   | RAS |
| 10-04-2140 |   | -- <b>Bumper Ext, 16", By Bdy Bldr</b>                                                                                                                                                                                                                                                                                                  | 1   | RAS |
| 10-04-2330 |   | -- <b>Bumper Gravelshield, 16", By Bdy Bldr</b>                                                                                                                                                                                                                                                                                         | 1   | RAS |
| 10-04-2530 |   | -- ===== <b>Bumper Cmpts - Driver/Center/Officer</b> =====                                                                                                                                                                                                                                                                              | 1   | RAS |
| 10-04-2549 |   | -- ===== <b>NO Bumper Compt - Full Width - PTS</b> =====                                                                                                                                                                                                                                                                                | 1   | RAS |
| 10-04-2590 |   | -- <b>Bumper Cmpt, Left, Hose Well Compt</b>                                                                                                                                                                                                                                                                                            | 1   | RAS |
| 10-04-3125 | < | -- <b>Bumper Compt, Frnt Bmpr, Velcro Straps, Pair</b>                                                                                                                                                                                                                                                                                  | 1   | RAS |
|            |   | >>Seat Belt Buckles                                                                                                                                                                                                                                                                                                                     |     |     |
| 10-04-2720 | > | -- <b>Bumper Cmpt, Center, Hosewell Compt</b>                                                                                                                                                                                                                                                                                           | 1   | RAS |
| 10-04-3150 |   | -- <b>Bumper Cmpt Door, Alum T/P, Flat Style</b>                                                                                                                                                                                                                                                                                        | 1   | RAS |
| 10-04-3460 |   | -- <b>Bumper Compt Door Gas Shock</b>                                                                                                                                                                                                                                                                                                   | 1   | RAS |
| 10-04-2920 |   | -- <b>Bumper Cmpt, Right, Hosewell Compt</b>                                                                                                                                                                                                                                                                                            | 1   | RAS |
| 10-04-3125 | < | -- <b>Bumper Compt, Frnt Bmpr, Velcro Straps, Pair</b>                                                                                                                                                                                                                                                                                  | 1   | RAS |
|            |   | >>Seat Belt Buckles                                                                                                                                                                                                                                                                                                                     |     |     |
| 10-04-2944 |   | -- <b>Grating, Bumper Cmpt, Turtle Tile, Three (3) Cmpts</b>                                                                                                                                                                                                                                                                            | 1   | RAS |
| 10-05-9120 |   | -- <b>Tow Hooks Painted Below Forward Mount (pair)</b>                                                                                                                                                                                                                                                                                  | 1   | RAS |
|            |   | <b>WHEEL TRIM and COVERS</b>                                                                                                                                                                                                                                                                                                            | 1   | RAS |
| 10-06-1110 |   | -- <b>Whl Trim, S/S Hub/Lug Cvr, Front/Rr, Sngl Axle</b>                                                                                                                                                                                                                                                                                | 1   | RAS |
| 10-06-1600 |   | -- Tire Pressure Indicator, Sngl Axle, Commercial                                                                                                                                                                                                                                                                                       | 1   | RAS |
| 10-07-1000 |   | -- ===== Chassis Exhaust =====                                                                                                                                                                                                                                                                                                          | 1   | RAS |
| 10-08-1100 |   | -- Mud Flaps, Front Whls, w/ Chassis                                                                                                                                                                                                                                                                                                    | 1   | RAS |
| 10-08-2100 |   | -- Mud Flaps, Rr Whls, Blk, w/ Bdy                                                                                                                                                                                                                                                                                                      | 1   | RAS |
| 10-10-1370 |   | -- <b>Cab Step Enclsr, International, 4 Dr LH Side w/Compt</b>                                                                                                                                                                                                                                                                          | 1   | RAS |
| 10-10-7199 | S | -- <b>Roll Out Equip Tray, 250# S/S, Under Cab Cmpt</b>                                                                                                                                                                                                                                                                                 | 1   | RAS |
|            |   | <b><u>UNDER CAB COMPARTMENT ROLL-OUT TRAY</u></b>                                                                                                                                                                                                                                                                                       |     |     |
|            |   | (1) One rollout tray shall be installed in the under cab compartment. The 250 pound rated tracks shall have sealed roller bearings with steel angle framework. The tray shall be constructed of stainless steel, fabricated with four 3" sides and welded corners. The front edge of the tray shall have a pull out double channel lip. |     |     |
|            |   | The unit shall roll fully out of the compartment, with a gas operator to hold tray in both the "in and out" positions. Plastic matting shall be installed in the floor of the tray.                                                                                                                                                     |     |     |
| 10-10-1380 | < | -- <b>Cab Step Enclsr, International, 4 Dr RH Side w/Compt</b>                                                                                                                                                                                                                                                                          | 1   | RAS |
|            |   | >>Install Batteries in this compartment per Drawing                                                                                                                                                                                                                                                                                     |     |     |
| 10-11-0300 |   | -- <b>Cab Trim, Door, Alum T/P Kickplates, 4 Dr</b>                                                                                                                                                                                                                                                                                     | 1   | RAS |

| PART NO                                                                                                                                                                                     | S   | DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                      | QTY | ID  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 10-12-6300                                                                                                                                                                                  |     | -- SCBA Brkt, Cab Seat, Zico "NFPA" Restraint, Ea                                                                                                                                                                                                                                                                                                                                | 3   | RAS |
| 10-12-6400                                                                                                                                                                                  |     | -- SCBA Brkt, Cab Wall Mnt, Zico "NFPA" Restraint, Ea                                                                                                                                                                                                                                                                                                                            | 1   | RAS |
| 10-19-6000                                                                                                                                                                                  |     | -- Air Outlet, Mnl, Cab Exterior, Left Step                                                                                                                                                                                                                                                                                                                                      | 1   | RAS |
| 10-19-7000                                                                                                                                                                                  | >   | -- Air Tank Drains, Cable Extensions, Ea                                                                                                                                                                                                                                                                                                                                         | 5   | RAS |
|                                                                                                                                                                                             |     | == Midship Pumper/Tanker Pump & Plumbing - 822.160 08/22/16 ==                                                                                                                                                                                                                                                                                                                   | 1   | RAS |
| 20-00-1600                                                                                                                                                                                  |     | -- Auxiliary Pumps - Engine-Driven                                                                                                                                                                                                                                                                                                                                               | 1   | RAS |
| 20-01-1800                                                                                                                                                                                  | <   | -- Pump, Darley, Aux, 2-1/2 AGE 24K, Kubota Dsl                                                                                                                                                                                                                                                                                                                                  | 1   | RAS |
|                                                                                                                                                                                             |     | >.Oil drain line shall be extended below main pump.                                                                                                                                                                                                                                                                                                                              |     |     |
| 20-32-2100                                                                                                                                                                                  | <   | -- Exhaust and Muffler, Aux Pump<br>Shall exit beside main chassis exhaust.                                                                                                                                                                                                                                                                                                      | 1   | RAS |
| 20-32-4400                                                                                                                                                                                  |     | -- Fuel System, Plumbed to Chs System, Aux Pump                                                                                                                                                                                                                                                                                                                                  | 1   | RAS |
| 20-32-5100                                                                                                                                                                                  |     | -- Battery, From Chs System, Aux Pump                                                                                                                                                                                                                                                                                                                                            | 1   | RAS |
| 20-32-6100                                                                                                                                                                                  | S < | -- Plmbg, Aux Pump Piped to Main Fire Pump Foam Manifold<br>Shall be plumbed to foam manifold.                                                                                                                                                                                                                                                                                   | 1   | RAS |
| <b><u>AUXILIARY AND MAIN FIRE PUMP PLUMBING</u></b>                                                                                                                                         |     |                                                                                                                                                                                                                                                                                                                                                                                  |     |     |
| The auxiliary fire pump shall be plumbed to the main pump foam discharge manifold. There shall be a one-way check valve installed in the discharge lines from fire pump discharge manifold. |     |                                                                                                                                                                                                                                                                                                                                                                                  |     |     |
| 20-32-7100                                                                                                                                                                                  | S   | -- S.O.R. / Throttle, Dual Electric, Aux Pump, Mech Engine<br><b><u>ENGINE THROTTLE</u></b><br>A electrically operated engine control throttle shall be installed for the pump engine. The throttle shall be furnished on the pump operator's control panel and in the cab center console. There shall be an engraved identification label provided to read "AUX PUMP THROTTLE". | 1   | RAS |
| 22-50-1400                                                                                                                                                                                  |     | -- Tank-To-Pump, Water Tank, 2-1/2", Aux Pump                                                                                                                                                                                                                                                                                                                                    | 1   | RAS |
| 23-01-1200                                                                                                                                                                                  |     | -- Tank Fill/Cooling Line, Water Tank, 1", Aux Pump                                                                                                                                                                                                                                                                                                                              | 1   | RAS |
| 20-13-9200                                                                                                                                                                                  |     | -- Pump, Hale, RSD, 1 Stage, Midship PTO                                                                                                                                                                                                                                                                                                                                         | 1   | RAS |
| 20-13-9120                                                                                                                                                                                  | >   | -- Pump Flow Rtng, Hale, RSD, 1000 GPM                                                                                                                                                                                                                                                                                                                                           | 1   | RAS |
| 22-21-1200                                                                                                                                                                                  |     | -- Intk, Gtd, 5" NST, 5" Air Operated, LH Side, Bhnd Pnl                                                                                                                                                                                                                                                                                                                         | 1   | RAS |
| 21-01-2500                                                                                                                                                                                  |     | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn                                                                                                                                                                                                                                                                                                                                       | 1   | RAS |
| 22-40-5800                                                                                                                                                                                  |     | -- Adptr, LW Alum, 5"F x 5" Storz                                                                                                                                                                                                                                                                                                                                                | 1   | RAS |
| 22-41-7200                                                                                                                                                                                  |     | -- Cap, 5" Storz, LW Alum, Lckng, w/Chain or Cable                                                                                                                                                                                                                                                                                                                               | 1   | RAS |
| 22-21-3200                                                                                                                                                                                  |     | -- Intk, Gtd, 5" NST, 5" Air Oprtd, RH Side, Bhnd Pnl                                                                                                                                                                                                                                                                                                                            | 1   | RAS |
| 21-01-2500                                                                                                                                                                                  |     | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn                                                                                                                                                                                                                                                                                                                                       | 1   | RAS |
| 22-40-5800                                                                                                                                                                                  |     | -- Adptr, LW Alum, 5"F x 5" Storz                                                                                                                                                                                                                                                                                                                                                | 1   | RAS |
| 22-41-7200                                                                                                                                                                                  |     | -- Cap, 5" Storz, LW Alum, Lckng, w/Chain or Cable                                                                                                                                                                                                                                                                                                                               | 1   | RAS |
| 20-14-2200                                                                                                                                                                                  | >   | -- Pump Seal, Mech, Hale                                                                                                                                                                                                                                                                                                                                                         | 1   | RAS |
| 20-14-3200                                                                                                                                                                                  |     | -- Pump Shift, Hale, PTO, Stationary Pumping                                                                                                                                                                                                                                                                                                                                     | 1   | RAS |
| 20-14-4110                                                                                                                                                                                  |     | -- Anode, Magnesium, Pump, Hale                                                                                                                                                                                                                                                                                                                                                  | 1   | RAS |
| 20-29-1200                                                                                                                                                                                  | >   | -- Primer, Trident Air Primer, Automatic                                                                                                                                                                                                                                                                                                                                         | 1   | RAS |
| 20-29-1250                                                                                                                                                                                  | S   | -- S.O.R. / Primer Control - Main Pump and Aux Pump Rocker Switches<br><b><u>PRIMER CONTROL</u></b><br>Two rocker switches control shall be provided on the pump operator's panel, one (1) for the main pump primer control and one for the aux pump.                                                                                                                            | 1   | RAS |

| PART NO    | S   | DESCRIPTION                                                                                                                                                                                                                                                                                                                                            | QTY | ID  |
|------------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 27-10-3100 | >   | <i>-- Pressure Gvrnr, FRC, Pump Boss 400 Series, w/Bdy</i>                                                                                                                                                                                                                                                                                             | 1   | RAS |
|            |     | <b>STAINLESS STEEL PUMP PLUMBING *</b>                                                                                                                                                                                                                                                                                                                 | 1   | RAS |
| 21-00-0090 | S   | <i>-- S.O.R. / Pump Panel Approval Drawing</i>                                                                                                                                                                                                                                                                                                         | 1   | RAS |
|            |     | <b><u>APPROVED PUMP PANEL DRAWING</u></b>                                                                                                                                                                                                                                                                                                              |     |     |
|            |     | A pump panel drawing shall be provided for approval to the fire department at the pre-construction conference. The drawing will show the primary controls and gauges and not every switch or label.                                                                                                                                                    |     |     |
|            |     | Pump panel drawing shall be based on model of pump, manifolds, driveline angles, exhaust layout and other engineering concerns. The pump panel drawing is configured based on the pump and manifold design specified and in some cases changes to the lay out will be limited. Any changes made by the department are subject to engineering approval. |     |     |
|            |     | Delays in pump panel drawing approval may delay the completion of the apparatus.                                                                                                                                                                                                                                                                       |     |     |
| 21-00-2000 |     | <i>-- Screens/Anodes, Pump</i>                                                                                                                                                                                                                                                                                                                         | 1   | RAS |
| 21-00-3200 |     | <i>-- Piping, Stnls Stl - Up to 1000 GPM</i>                                                                                                                                                                                                                                                                                                           | 1   | RAS |
| 21-01-0200 | >   | <i>-- Pump Drain, Master, Manifold, Push Pull Type</i>                                                                                                                                                                                                                                                                                                 | 1   | RAS |
| 21-01-5500 |     | <i>-- Intk Manifold, Stnls Stl</i>                                                                                                                                                                                                                                                                                                                     | 1   | RAS |
| 21-01-6500 |     | <i>-- Dschg Manifold, Stnls Stl</i>                                                                                                                                                                                                                                                                                                                    | 1   | RAS |
| 21-01-7300 |     | <i>-- Painting, Pump &amp; Piping, Unpainted</i>                                                                                                                                                                                                                                                                                                       | 1   | RAS |
| 21-01-8100 |     | <i>-- Threads, National Hose (NST)</i>                                                                                                                                                                                                                                                                                                                 | 1   | RAS |
| 22-51-5200 |     | <i>-- Tank-To-Pump, Water Tank, 3" Vlv/3" Piping, Midship, Pmpr/Tnkr</i>                                                                                                                                                                                                                                                                               | 1   | RAS |
| 22-50-0100 |     | <i>-- Single Tank to Pump Control - Pump Operator's Panel</i>                                                                                                                                                                                                                                                                                          | 1   | RAS |
| 24-62-2310 | >   | <i>-- Vlv Mfger, ELK,(3"), Manual, Std Pull Control</i>                                                                                                                                                                                                                                                                                                | 1   | RAS |
| 22-55-5080 |     | <i>-- Intk Vlv Cntrl, ELK, Cable, 1/4 Turn T-style, IC</i>                                                                                                                                                                                                                                                                                             | 1   | RAS |
| 23-02-1300 |     | <i>-- Tank Fill/Cooling Line, Water Tank, 2"</i>                                                                                                                                                                                                                                                                                                       | 1   | RAS |
| 24-62-2202 |     | <i>-- Vlv Mfger, ELK, (2"), Manual, Std Pull Control</i>                                                                                                                                                                                                                                                                                               | 1   | RAS |
| 22-55-5080 |     | <i>-- Intk Vlv Cntrl, ELK, Cable, 1/4 Turn T-style, IC</i>                                                                                                                                                                                                                                                                                             | 1   | RAS |
| 20-30-3200 |     | <i>-- Pump Instln, Midship PTO, By Bdy Bldr</i>                                                                                                                                                                                                                                                                                                        | 1   | RAS |
| 20-31-3600 |     | Dump-Relief Vlv, Suction Side, TFT A18                                                                                                                                                                                                                                                                                                                 | 1   | RAS |
| 20-31-4100 |     | Pump Cooler, Bypass-To-Tank, 3/8"                                                                                                                                                                                                                                                                                                                      | 1   | RAS |
| 20-31-4500 |     | <b>Pump Cooler, Hale, TRVL, Thermal, Alarm-Lt</b>                                                                                                                                                                                                                                                                                                      | 1   | RAS |
| 20-31-5100 | >   | <b>Heat Exchanger, Engine, Hook-Up Only</b>                                                                                                                                                                                                                                                                                                            | 1   | RAS |
| 20-31-1000 |     | <i>-- Fire Pump Testing - Pumpers/Tankers</i>                                                                                                                                                                                                                                                                                                          | 1   | RAS |
| 20-31-1100 |     | <i>-- Pump Test, Pumper, UL</i>                                                                                                                                                                                                                                                                                                                        | 1   | RAS |
| 20-31-1500 |     | <i>-- Pump Test, Label</i>                                                                                                                                                                                                                                                                                                                             | 1   | RAS |
| 22-12-1100 |     | Intk, Aux, Gtd, 2-1/2", NST, Left Side                                                                                                                                                                                                                                                                                                                 | 1   | RAS |
| 21-01-2502 |     | <i>-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only</i>                                                                                                                                                                                                                                                                                          | 1   | RAS |
| 22-41-1100 |     | <i>-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain</i>                                                                                                                                                                                                                                                                                                     | 1   | RAS |
| 24-62-1250 |     | <i>-- Vlv Mfger, AKR, 8000, (2-1/2")</i>                                                                                                                                                                                                                                                                                                               | 1   | RAS |
| 22-55-4050 |     | <i>-- Intk Vlv Cntrl, AKR, Mnl Swing Type-Adjacent</i>                                                                                                                                                                                                                                                                                                 | 1   | RAS |
| 22-12-3100 |     | <b>Intk, Aux, Gtd, 2-1/2", NST, Right Side</b>                                                                                                                                                                                                                                                                                                         | 1   | RAS |
| 21-01-2502 |     | <i>-- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only</i>                                                                                                                                                                                                                                                                                          | 1   | RAS |
| 22-41-1100 |     | <i>-- Plug, 2-1/2", Chrome Rocker Lug, w/Chain</i>                                                                                                                                                                                                                                                                                                     | 1   | RAS |
| 24-62-1250 |     | <i>-- Vlv Mfger, AKR, 8000, (2-1/2")</i>                                                                                                                                                                                                                                                                                                               | 1   | RAS |
| 22-55-4050 |     | <i>-- Intk Vlv Cntrl, AKR, Mnl Swing Type-Adjacent</i>                                                                                                                                                                                                                                                                                                 | 1   | RAS |
| 23-05-0910 | === | <b>Frnt Bmpr Dschgs LH/CTR/RH - Pick To Select ===</b>                                                                                                                                                                                                                                                                                                 | 1   | RAS |
| 23-05-2100 |     | <i>-- Dschg, 1-1/2", Front LH Bumper, Swivel, NST - Brass Swivel</i>                                                                                                                                                                                                                                                                                   | 1   | RAS |
| 21-01-2200 |     | <i>-- Drain/Bleeder, Class 1, Automatic</i>                                                                                                                                                                                                                                                                                                            | 1   | RAS |

| PART NO                                                                                                                                                                                                    | S   | DESCRIPTION                                                                                                            | QTY | ID  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 23-05-9200                                                                                                                                                                                                 |     | -- Hose Connection, Abv Frnt Bmpr, Swivel                                                                              | 1   | RAS |
| 24-61-2150                                                                                                                                                                                                 |     | -- Vlv Mfger, ELK, (1-1/2"), Manual                                                                                    | 1   | RAS |
| 24-54-0810                                                                                                                                                                                                 | <   | -- Dschg Vlv Cntrl, Mnl Swing Type-Adjacent, ELK<br>Located on front bumper.                                           | 1   | RAS |
| 23-05-2300                                                                                                                                                                                                 | >   | -- Dschg, 1-1/2", Front RH Bumper, Swivel, NST Brass Swivel                                                            | 1   | RAS |
| 21-01-2200                                                                                                                                                                                                 |     | -- Drain/Bleeder, Class 1, Automatic                                                                                   | 1   | RAS |
| 23-05-9200                                                                                                                                                                                                 |     | -- Hose Connection, Abv Frnt Bmpr, Swivel                                                                              | 1   | RAS |
| 24-61-2150                                                                                                                                                                                                 |     | -- Vlv Mfger, ELK, (1-1/2"), Manual                                                                                    | 1   | RAS |
| 24-54-0810                                                                                                                                                                                                 | <   | -- Dschg Vlv Cntrl, Mnl Swing Type-Adjacent, ELK<br>Located on front bumper.                                           | 1   | RAS |
| 23-06-0010                                                                                                                                                                                                 |     | === Crslys Over Pump Panel ===                                                                                         | 1   | RAS |
| 23-06-0030                                                                                                                                                                                                 |     | -- === Deadlay Crslys Over Pump Panel ===                                                                              | 1   | RAS |
| 23-06-1200                                                                                                                                                                                                 | S < | -- Speedlay, Deadlay, (2) 1-1/2", Over Pump Panel, 150 feet of 1-3/4"<br>>>Single stacks, stacked one above the other. | 1   | RAS |
| <b><u>DEADLAY HOSE BEDS</u></b>                                                                                                                                                                            |     |                                                                                                                        |     |     |
| Two (2) dead hosebed speedlays shall be installed over pump enclosure (no piping or valve provided to the hosebed). The hosebed decking shall be constructed with slots integrated into the hosebed floor. |     |                                                                                                                        |     |     |
| Each hose bed shall provide a minimum capacity of 150 feet of 1-3/4" diameter double jacket hose with nozzle, for hose provided by the fire department.                                                    |     |                                                                                                                        |     |     |
| 23-08-3001                                                                                                                                                                                                 |     | -- Crosslay Cvr, Dealer Sppl'd                                                                                         | 1   | RAS |
| 23-08-5025                                                                                                                                                                                                 | < > | -- Crosslay Dschgs, Over Pump Panel, Sngl Stck<br>>>Shall be 5.25" wide to accommodate dept. supplied nozzle.          | 1   | RAS |
| 23-07-6200                                                                                                                                                                                                 |     | === Speedlays Ahead Pump Cmpt ===                                                                                      | 1   | RAS |
| 23-08-3700                                                                                                                                                                                                 | S < | -- Speedlay Cvr, Vinyl, Ends<br>>>Seat belt buckle                                                                     | 1   | RAS |
| <b><u>VINYL SPEEDLAY END COVERS</u></b>                                                                                                                                                                    |     |                                                                                                                        |     |     |
| The speedlay hosebeds shall be equipped with a vinyl cover with end flaps and shall be secured with a seat belt buckle fastening system.                                                                   |     |                                                                                                                        |     |     |
| 29-20-5600                                                                                                                                                                                                 |     | -- Vinyl Cover, Color, RED                                                                                             | 1   | RAS |
| 23-08-4630                                                                                                                                                                                                 |     | -- Speedlay Trim, Alum Angle, Both Sides                                                                               | 1   | RAS |
| 23-08-8100                                                                                                                                                                                                 |     | -- Speedlay, 1-3/4", Removable Hose Tray, Alum                                                                         | 2   | RAS |
| 23-09-3100                                                                                                                                                                                                 | <   | Dschg, 1-1/2", Left Side, Pump Panel<br>>>Located below crosslays.                                                     | 1   | RAS |
| 21-01-2502                                                                                                                                                                                                 |     | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only                                                                 | 1   | RAS |
| 24-61-2200                                                                                                                                                                                                 |     | -- Vlv Mfger, ELK, (2"), Manual                                                                                        | 1   | RAS |
| 24-54-0800                                                                                                                                                                                                 | >   | -- Dschg Vlv Cntrl, Mnl Swing Type-Adjacent, ELK, Lckg                                                                 | 1   | RAS |
| 27-02-0100                                                                                                                                                                                                 |     | -- === PSI Only Dschg Pressure Gauges ===                                                                              | 1   | RAS |
| 27-02-1500                                                                                                                                                                                                 | >   | -- Gauge, Dschg, IC, 2-1/2" 400#, WF                                                                                   | 1   | RAS |

| PART NO    | S   | DESCRIPTION                                            | QTY | ID  |
|------------|-----|--------------------------------------------------------|-----|-----|
| 23-09-4100 |     | Dschg, 2-1/2", Left Side, Pump Panel, NST              | 2   | RAS |
| 21-01-2502 |     | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only | 2   | RAS |
| 24-02-1200 |     | -- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome               | 2   | RAS |
| 24-03-1400 |     | -- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain        | 2   | RAS |
| 24-61-2250 |     | -- Vlv Mfger, ELK, (2-1/2"), Manual                    | 2   | RAS |
| 24-54-0800 | >   | -- Dschg Vlv Cntrl, Mnl Swing Type-Adjacent, ELK, Lckg | 2   | RAS |
| 27-02-0100 |     | -- === PSI Only Dschg Pressure Gauges ===              | 2   | RAS |
| 27-02-1500 | >   | -- Gauge, Dschg, IC, 2-1/2" 400#, WF                   | 2   | RAS |
| 23-10-3100 | <   | Dschg, 1-1/2", Right Side, Pump Panel, NST             | 1   | RAS |
|            |     | >>Located below crosslays.                             |     |     |
| 21-01-2502 |     | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only | 1   | RAS |
| 24-61-2200 |     | -- Vlv Mfger, ELK, (2"), Manual                        | 1   | RAS |
| 24-54-0800 | >   | -- Dschg Vlv Cntrl, Mnl Swing Type-Adjacent, ELK, Lckg | 1   | RAS |
| 27-02-0100 |     | -- === PSI Only Dschg Pressure Gauges ===              | 1   | RAS |
| 27-02-1500 | >   | -- Gauge, Dschg, IC, 2-1/2" 400#, WF                   | 1   | RAS |
| 23-10-5200 |     | Dschg, 3" x 4"NST, Right Side, Pump Panel, NST         | 1   | RAS |
| 21-01-2502 |     | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only | 1   | RAS |
| 24-01-4000 |     | -- Adptr, LW Alum, 5" Storz x 2-1/2"M                  | 1   | RAS |
| 24-02-2600 |     | -- Elbow, LW Alum, 5" Storz x 4"F                      | 1   | RAS |
| 24-03-1410 |     | -- Cap, 2-1/2", NST LW Alum, Rocker Lug, w/Chain       | 1   | RAS |
| 24-61-2300 |     | -- Vlv Mfger, ELK, (3"), Manual                        | 1   | RAS |
| 24-54-1200 |     | -- Dschrg Vlv Cntrl, ELK, 3", RC-10 Handwheel, w/Lts   | 1   | RAS |
| 27-02-0100 |     | -- === PSI Only Dschg Pressure Gauges ===              | 1   | RAS |
| 27-02-1500 | >   | -- Gauge, Dschg, IC, 2-1/2" 400#, WF                   | 1   | RAS |
| 23-13-2100 |     | Dschg, 1-1/2", Left Rr, NST                            | 1   | RAS |
| 21-01-2202 |     | -- Drain/Bleeder, Class 1, Automatic - Spec Only       | 1   | RAS |
| 24-02-1100 |     | -- Elbow, 1-1/2"F x 1-1/2" NST M, Chrome               | 1   | RAS |
| 24-03-1200 |     | -- Cap, 1-1/2", NST Chrome, Rocker Lug, w/Chain        | 1   | RAS |
| 24-61-1200 |     | -- Vlv Mfger, AKR, 8000, (2")                          | 1   | RAS |
| 24-53-0800 |     | -- Dschg Vlv Cntrl, AKR, Mnl Swing Type-Adjacent, Lckg | 1   | RAS |
| 27-02-0100 |     | -- === PSI Only Dschg Pressure Gauges ===              | 1   | RAS |
| 27-02-1500 | >   | -- Gauge, Dschg, IC, 2-1/2" 400#, WF                   | 1   | RAS |
| 23-13-3200 |     | Dschg, 2-1/2", Right Rr, NST                           | 1   | RAS |
| 21-01-2502 |     | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn - Spec Only | 1   | RAS |
| 24-02-1200 |     | -- Elbow, 2-1/2"F x 2-1/2" NST M, Chrome               | 1   | RAS |
| 24-03-1400 |     | -- Cap, 2-1/2", NST Chrome, Rocker Lug, w/Chain        | 1   | RAS |
| 24-61-1250 |     | -- Vlv Mfger, AKR, 8000, (2-1/2")                      | 1   | RAS |
| 24-53-0800 |     | -- Dschg Vlv Cntrl, AKR, Mnl Swing Type-Adjacent, Lckg | 1   | RAS |
| 27-02-0100 |     | -- === PSI Only Dschg Pressure Gauges ===              | 1   | RAS |
| 27-02-1500 | >   | -- Gauge, Dschg, IC, 2-1/2" 400#, WF                   | 1   | RAS |
| 24-30-5000 | <   | -- Hose Reel, HAN, Elec, Mt Abv Pump, Alum             | 1   | RAS |
|            |     | >>Driver's Side Pump Panel                             |     |     |
| 24-31-2100 |     | -- Hose Reel, Rwnd Cntrl, Weatherproof Push Button     | 1   | RAS |
| 24-32-1200 |     | -- Dschg, Hose Reel, 1"                                | 1   | RAS |
| 21-01-2500 |     | -- Drain/Bleeder, IC Lift-Up, Mnl 1/4 Turn             | 1   | RAS |
| 24-32-1700 |     | -- Dschg, Hose Reel, Plmbd to Normal Pressure          | 1   | RAS |
| 24-61-2100 |     | -- Vlv Mfger, ELK, (1")                                | 1   | RAS |
| 24-54-0730 | <   | -- Dschg Vlv Cntrl, Swing Type Mnl, Lckg, TM, ELK - IC | 1   | RAS |
|            |     | >>Install beside reel in dunnage.                      |     |     |
| 27-02-0100 |     | -- === PSI Only Dschg Pressure Gauges ===              | 1   | RAS |
| 27-02-1500 | < > | -- Gauge, Dschg, IC, 2-1/2" 400#, WF                   | 1   | RAS |
|            |     | >>Mount up by reel.                                    |     |     |

| PART NO                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | S   | DESCRIPTION                                                                                        | QTY | ID  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----------------------------------------------------------------------------------------------------|-----|-----|
| 24-33-2000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Hose, Forestry, 1-in x 100-ft                                                                   | 2   | RAS |
| 24-33-9600                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | >   | -- Roller, Hose Reel, Captive, Four Sided                                                          | 1   | RAS |
| 24-33-9200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Roller, Hose Reel, RH Side                                                                      | 1   | RAS |
| 25-06-1100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | < > | -- Foam Sys, F/PRO 1600, CIs A, 1.7G, 12V, 2"NPT<br>All 1.75 lines and smaller and right rear 2.5" | 1   | RAS |
| 25-20-1200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Foam Plmbg, Sngl Class A Tank, 1" Mnl Vlv                                                       | 1   | RAS |
| 25-21-1300                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Foam Tank, Intgrl Poly, 20 Gal, Class A                                                         | 1   | RAS |
| 25-22-9100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Foam Tank, No Manufacturer Preference                                                           | 1   | RAS |
| 25-23-1000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Foam Tank Drain, 1" Gate Vlv, Under Tank                                                        | 1   | RAS |
| 25-24-4000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | >   | -- Foam Pump, Hale EZ-Fill, 12V Elec, Refill Transfer Sngl Tnk                                     | 1   | RAS |
| 25-19-9000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Foam System, NFPA #1901, Install Standards                                                      | 1   | RAS |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |     | == Pumper/Tanker-Side Mount Pump Cmpt - 822.160 08/22/16 ==                                        | 1   | RAS |
| 26-02-2100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | >   | Pump Enc, Side Mt, Extrd Alum, 24-39"W, Crslys                                                     | 1   | RAS |
| 26-10-1100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | S < | S.O.R. / Pump Enc Cmpt, Left Pump Panel Cmpt, Rear, Hnge Door<br>Reference Happy Valley 17178      | 1   | RAS |
| <b><u>FULL HEIGHT COMPARTMENT -- REAR OF PUMP ENCLOSURE, OFFICER SIDE</u></b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |     |                                                                                                    |     |     |
| <p>The area to the rear of the pump enclosure on the right side shall be an equipment compartment. The compartment shall be located between the running board and shall extend left to the chassis frame rails. The compartment shall be integral with pump enclosure and constructed of same material as pump enclosure. The compartment shall be equipped with a hinged aluminum door and appropriate latch on the side of the apparatus. The compartment shall be provided with floor drains, vent, and compartment lights.</p> <p>The compartment dimensions shall be approximately 12" front to rear width, an insdei hieght of no less than 60" and 16" deep.</p> |     |                                                                                                    |     |     |
| 55-02-1200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Cmpt Lt, Ceiling, LED, (1) Ea Cmpt                                                              | 1   | RAS |
| 55-06-1100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Cmpt Lt, Dr Swtch, Auto, Ea                                                                     | 1   | RAS |
| 26-30-1100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | Rng Brd, LH Pump Panel, Alum T/P, SM                                                               | 1   | RAS |
| 26-30-1150                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | Rng Brd, RH Pump Panel, Alum T/P, SM                                                               | 1   | RAS |
| 26-31-3340                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | <b>Pump Side Access Door, Upper RH, Line X</b>                                                     | 1   | RAS |
| 26-31-3999                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | === NO Pump Enclsr Front Access Panel - PTS ===                                                    | 1   | RAS |
| 26-35-5100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | Pump Panel, Line X, LH/RH, SM                                                                      | 1   | RAS |
| 26-35-1100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Pump Panel, Bltd, LH                                                                            | 1   | RAS |
| 26-35-1200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Pump Panel, Bltd, RH                                                                            | 1   | RAS |
| 26-36-5100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | <b>Trim Panels, Stnls Stl, Intks and Dschgs</b>                                                    | 1   | RAS |
| 26-55-1100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | Labels, Test Data and Safety Placards                                                              | 1   | RAS |
| 26-55-2400                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | Labels, Innovative Controls Color Coded                                                            | 1   | RAS |
| 26-56-1120                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | <b>Pump Panel LED Lts, (3) Weldon 2631, Midship LH w/ Swtch on Pmp Oprtr's Pnl</b>                 | 1   | RAS |
| 26-56-1220                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | <b>Pump Panel LED Lts (2), Midship RH, Weldon 2631</b>                                             | 1   | RAS |
| 26-56-2000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | Pump Panel Lt (1), Actuated w/Pump Engagement                                                      | 1   | RAS |
| 27-01-0100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | === PSI Only Mstr Pressure Gauges ===                                                              | 1   | RAS |
| 27-01-1500                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | >   | -- Mstr Gauges, IC, 4" PSI, Pr                                                                     | 1   | RAS |
| 27-01-4100                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | >   | Gauge, Test Taps                                                                                   | 1   | RAS |
| 27-35-4024                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | <b>Water/Foam Gge, IC, 10-LED Wtr/Fm Dual Dsply , Pmp Pnl (Strght) 3030359-04</b>                  | 1   | RAS |
| 27-35-4200                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Water Level Display, IC, 5-LED, Mini, In-Cab                                                    | 1   | RAS |
| 27-35-6104                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |     | -- Water Tank Gauge, Whelen PS TANK LED, Level Lts, Pair, IC                                       | 1   | RAS |

| PART NO                                                                                                                   | S   | DESCRIPTION                                                                                                                                                     | QTY      | ID         |
|---------------------------------------------------------------------------------------------------------------------------|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| <b>== HLHD/HRHD Single Axle Pumper/Tanker - 822.160 08/22/16 ==</b>                                                       |     |                                                                                                                                                                 | <b>1</b> | <b>RAS</b> |
| 25-26-1300                                                                                                                |     | -- Water Tank, 500 Gal, Pmpr/Tnkr , Poly                                                                                                                        | 1        | RAS        |
| 25-25-0060                                                                                                                |     | -- Water Tank, "T" Tank                                                                                                                                         | 1        | RAS        |
| 25-44-1200                                                                                                                |     | -- Water Tank, Fill Tower, 10" x 10", <500 Gals                                                                                                                 | 1        | RAS        |
| 25-42-1100                                                                                                                | >   | -- Water Tank, Base Specs, Poly                                                                                                                                 | 1        | RAS        |
| 25-42-1190                                                                                                                |     | -- Water Tank, Manufacturer, No Preference, Poly                                                                                                                | 1        | RAS        |
| 01-18-0800                                                                                                                |     | -- Warranty, Water Tank, No Preference                                                                                                                          | 1        | RAS        |
| 25-50-2300                                                                                                                | >   | <b>Direct Tank Fill, 2-1/2" RH Pump Panel</b>                                                                                                                   | <b>1</b> | <b>RAS</b> |
| 24-62-2250                                                                                                                |     | -- Vlv Mfger, ELK (2-1/2"), Manual, Swing Type, Adjacent Control                                                                                                | 1        | RAS        |
| 22-55-5020                                                                                                                |     | -- Intk Vlv Cntrl, ELK, Mnl Swing Type-Adjacent                                                                                                                 | 1        | RAS        |
| 25-50-2670                                                                                                                | >   | -- NH 2-1/2" Swivel, Plug & Screen                                                                                                                              | 1        | RAS        |
| 25-50-2500                                                                                                                | <   | <b>Direct Tank Fill, 2-1/2" Right Rr</b><br>Mount as low as possible.                                                                                           | <b>1</b> | <b>RAS</b> |
| 24-62-2250                                                                                                                |     | -- Vlv Mfger, ELK (2-1/2"), Manual, Swing Type, Adjacent Control                                                                                                | 1        | RAS        |
| 22-55-5020                                                                                                                |     | -- Intk Vlv Cntrl, ELK, Mnl Swing Type-Adjacent                                                                                                                 | 1        | RAS        |
| 25-50-2670                                                                                                                | >   | -- NH 2-1/2" Swivel, Plug & Screen                                                                                                                              | 1        | RAS        |
| 29-10-1000                                                                                                                |     | Hosebed, Grating, Extrd Alum, <180" Long                                                                                                                        | 1        | RAS        |
| 29-10-5100                                                                                                                |     | -- Hosebed, Strge Cpcty, 55 Cubic Feet, Minimum                                                                                                                 | 1        | RAS        |
| 29-10-5400                                                                                                                |     | -- Hosebed, Strge Cpcty 1.75" DJ Hose (50-ft Lngth)                                                                                                             | 4        | RAS        |
| 29-10-5600                                                                                                                |     | -- Hosebed, Strge Cpcty 2.5" DJ Hose (50-ft Lngth)                                                                                                              | 4        | RAS        |
| 29-10-5700                                                                                                                | <   | -- Hosebed, Strge Cpcty 3" DJ Hose (50-ft Lngth)<br>Located to right of ladder tunnel                                                                           | 12       | RAS        |
| 29-10-6000                                                                                                                |     | -- Hosebed, Strge Cpcty 5" LDH SJ Rubber (100-ft)                                                                                                               | 6        | RAS        |
| 29-10-8100                                                                                                                | <   | Hosebed, Divider, 1/4" Alum<br>Shall be located to the left of the ladder tunnel.                                                                               | 2        | RAS        |
| 29-10-8359                                                                                                                | S < | -- Horizontal Hosebed divider, (1)<br>The divider shall be located on the right side of the hose bed. It shall be 14" down from the hosebed covers and 12" wide | 2        | RAS        |
| <b><u>ALUMINUM HOSEBED DIVIDER</u></b>                                                                                    |     |                                                                                                                                                                 |          |            |
| One (1) fixed horizontal hosebed divider constructed of .250" aluminum shall be installed on the apparatus.               |     |                                                                                                                                                                 |          |            |
| The divider shall be located on the right side of the hose bed. It shall be 14" down from the hosebed covers and 12" wide |     |                                                                                                                                                                 |          |            |
| 29-10-8399                                                                                                                |     | -- === NO Hosebed Divider Handhole Cutouts - Pick To Select ===                                                                                                 | 2        | RAS        |
| 29-10-8699                                                                                                                |     | === NO Alum Box Around Fill Towers - Pick to Select ===                                                                                                         | 1        | RAS        |
| 29-10-8700                                                                                                                |     | <b>Full Width Alum Bulk Head Behind Fill Towers</b>                                                                                                             | <b>1</b> | <b>RAS</b> |
| 29-20-6500                                                                                                                | <   | Hosebed Cvr, Alum T/P, >180" L, 49-74" W, Ctr Open (Non NFPA Walking Surface)<br>>>Doors shall stop at the front of body bulkhead.                              | 1        | RAS        |
| 29-10-8160                                                                                                                |     | -- (1) Main Hosebed Divider (Stationary)                                                                                                                        | 1        | RAS        |
| 29-20-7326                                                                                                                |     | -- Hsbd Cvr Lt, OSS Access, 48" LED Tube Lt, Ea                                                                                                                 | 4        | RAS        |
| 29-20-7700                                                                                                                | S < | -- Ladder Tnl, Vertical Strge for Backboard<br>>>72" L x 18" W x 2" H                                                                                           | 1        | RAS        |
| <b><u>BACKBOARD STORAGE AREA</u></b>                                                                                      |     |                                                                                                                                                                 |          |            |
| One (1) slide in storage rack shall be fabricated and attached to the                                                     |     |                                                                                                                                                                 |          |            |

| PART NO    | S   | DESCRIPTION                                                                                       | QTY | ID  |
|------------|-----|---------------------------------------------------------------------------------------------------|-----|-----|
|            |     | ladder tunnel. A mechanism for holding the backboard in place while in transit shall be supplied. |     |     |
| 29-20-7800 | < > | -- Rr Vinyl Flaps for Alum Cvr<br>>>Use seat belt buckles                                         | 1   | RAS |
| 29-20-5600 |     | -- Vinyl Cover, Color, RED                                                                        | 1   | RAS |
| 30-01-1700 |     | Bdy Const - Rosenbauer FL - 12 Ga. Glv - Sngl Axl Pmpr/Tnkr                                       | 1   | RAS |
| 30-01-2250 |     | -- Electrolysis Corrosion Cntrl                                                                   | 1   | RAS |
| 30-10-1200 |     | -- Sub Frame, Steel                                                                               | 1   | RAS |
| 44-06-2300 |     | -- Whl Well Panel, Galv Pntd, Sngl Axle - FL                                                      | 1   | RAS |
| 44-06-4100 |     | -- Fenderette, Polished Aluminum                                                                  | 1   | RAS |
| 31-01-2132 |     | 98" OAW, 15-25" Half Dpth Both Sides, SA HL/HR                                                    | 1   | RAS |
| 29-00-1200 |     | -- Hosebed, Pmpr, <180" L, 68" Wide                                                               | 1   | RAS |
| 32-03-0067 | >   | -- Cmpt Height, 67"                                                                               | 1   | RAS |
| 32-03-1067 | >   | -- Cmpt Height, 67"                                                                               | 1   | RAS |
| 32-04-1130 |     | Hng Drs, HL/HR                                                                                    | 1   | RAS |
| 30-02-1100 |     | -- Drs, Hngd Specs                                                                                | 1   | RAS |
| 30-02-1110 |     | -- Dr Locks, Maltese Cross D-Ring Hngd Drs (Ea)                                                   | 9   | RAS |
| 32-05-1350 |     | -- Upr Hgh Sde - Sgle Comp't - Vrtclly Hngd Dble Drs                                              | 1   | RAS |
| 44-40-1100 |     | -- Vents, Compts, Louvers, Includes Filters (Ea)                                                  | 1   | RAS |
| 45-01-1050 |     | -- Shelving Tracks, (2) Unistrut, Alum                                                            | 1   | RAS |
| 45-02-1200 | <   | -- Shelf, Adjust, Alum 1/8"                                                                       | 1   | RAS |
|            |     | >>Tray shall have welded corners to prevent fluids from leaving pan.                              |     |     |
| 45-30-1300 |     | -- Turtle Tile, Shelves/Trays, (each)                                                             | 1   | RAS |
| 45-15-1200 | <   | -- Divider, Vert, Bolt-In, 3/16" Alum                                                             | 1   | RAS |
|            |     | >>Divider shall be 48" from forward compartment wall.                                             |     |     |
| 45-30-1400 |     | -- Turtle Tile, Compartment Floor                                                                 | 1   | RAS |
| 55-01-4110 |     | -- Cmpt LED Strip Lt, (2) Ea Cmpt (approx 30")                                                    | 1   | RAS |
| 55-01-4210 |     | -- Cmpt Lt, Mtng Door Jamb                                                                        | 1   | RAS |
| 55-06-1400 |     | -- Cmpt Lt, Dr Swtch, Magnetic, Ea                                                                | 1   | RAS |
| 32-05-1705 |     | -- Bhnd Rr Whls - Full Ht Comp't - Hnge Sgle Dr                                                   | 1   | RAS |
| 44-40-1100 |     | -- Vents, Compts, Louvers, Includes Filters (Ea)                                                  | 1   | RAS |
| 45-01-1050 |     | -- Shelving Tracks, (2) Unistrut, Alum                                                            | 1   | RAS |
| 45-02-1200 | <   | -- Shelf, Adjust, Alum 1/8"                                                                       | 1   | RAS |
|            |     | >>Shelf shall be located in full depth portion.                                                   |     |     |
|            |     | >>Tray shall have welded corners to prevent fluids from leaving pan.                              |     |     |
| 45-30-1300 |     | -- Turtle Tile, Shelves/Trays, (each)                                                             | 1   | RAS |
| 45-30-1400 |     | -- Turtle Tile, Compartment Floor                                                                 | 1   | RAS |
| 55-01-4155 |     | -- Cmpt LED Strip Lt, (2) Ea Cmpt (approx 48")                                                    | 1   | RAS |
| 55-01-4210 |     | -- Cmpt Lt, Mtng Door Jamb                                                                        | 1   | RAS |
| 55-06-1400 |     | -- Cmpt Lt, Dr Swtch, Magnetic, Ea                                                                | 1   | RAS |
| 32-06-1450 |     | -- Upr Hgh Sde - Sgle Comp't - Vrtclly Hngd Dble Drs                                              | 1   | RAS |
| 44-40-1100 |     | -- Vents, Compts, Louvers, Includes Filters (Ea)                                                  | 1   | RAS |
| 45-01-1050 |     | -- Shelving Tracks, (2) Unistrut, Alum                                                            | 1   | RAS |
| 45-02-3100 | <   | -- Shelf, Adjust, Alum 3/16"                                                                      | 1   | RAS |
|            |     | >>Tray shall have welded corners to prevent fluids from leaving pan.                              |     |     |
| 45-30-1300 |     | -- Turtle Tile, Shelves/Trays, (each)                                                             | 1   | RAS |
| 45-30-1400 |     | -- Turtle Tile, Compartment Floor                                                                 | 1   | RAS |

| PART NO    | S   | DESCRIPTION                                                                                                                                                                                                                                             | QTY | ID  |
|------------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 55-01-4110 |     | -- Cmpt LED Strip Lt, (2) Ea Cmpt (approx 30")                                                                                                                                                                                                          | 1   | RAS |
| 55-01-4210 |     | -- Cmpt Lt, Mtng Door Jamb                                                                                                                                                                                                                              | 1   | RAS |
| 55-06-1400 |     | -- Cmpt Lt, Dr Swtch, Magnetic, Ea                                                                                                                                                                                                                      | 1   | RAS |
| 32-06-1705 |     | -- Bhnd Rr Whls - Full Ht Comp't - Hnge Sgle Dr                                                                                                                                                                                                         | 1   | RAS |
| 44-40-1100 |     | -- Vents, Compts, Louvers, Includes Filters (Ea)                                                                                                                                                                                                        | 1   | RAS |
| 45-01-1050 |     | -- Shelving Tracks, (2) Unistrut, Alum                                                                                                                                                                                                                  | 1   | RAS |
| 45-02-1200 | <   | -- Shelf, Adjust, Alum 1/8"                                                                                                                                                                                                                             | 2   | RAS |
|            |     | >>One (1) in the half and one (1) in the full depth.                                                                                                                                                                                                    |     |     |
|            |     | >>Tray shall have welded corners to prevent fluids from leaving pan.                                                                                                                                                                                    |     |     |
| 45-30-1300 |     | -- Turtle Tile, Shelves/Trays, (each)                                                                                                                                                                                                                   | 2   | RAS |
| 45-30-1400 |     | -- Turtle Tile, Compartment Floor                                                                                                                                                                                                                       | 1   | RAS |
| 55-01-4155 |     | -- Cmpt LED Strip Lt, (2) Ea Cmpt (approx 48")                                                                                                                                                                                                          | 1   | RAS |
| 55-01-4210 |     | -- Cmpt Lt, Mtng Door Jamb                                                                                                                                                                                                                              | 1   | RAS |
| 55-06-1400 |     | -- Cmpt Lt, Dr Swtch, Magnetic, Ea                                                                                                                                                                                                                      | 1   | RAS |
| 33-60-1100 |     | Rr Bdy, Flat Back                                                                                                                                                                                                                                       | 1   | RAS |
| 32-08-0240 |     | -- Rr Cntr Comp't - Full Ht Hnge Dble/Non Trans                                                                                                                                                                                                         | 1   | RAS |
| 32-08-0900 |     | -- Rr Center Cmpt Door - Smooth Alum                                                                                                                                                                                                                    | 1   | RAS |
| 44-40-1100 |     | -- Vents, Compts, Louvers, Includes Filters (Ea)                                                                                                                                                                                                        | 1   | RAS |
| 45-01-1050 |     | -- Shelving Tracks, (2) Unistrut, Alum                                                                                                                                                                                                                  | 1   | RAS |
| 45-06-1100 | < > | -- Slide Tray, 500#, Alum 3/16",EZ Slide                                                                                                                                                                                                                | 1   | RAS |
|            |     | >>Tray shall have welded corners to prevent fluids from leaving pan.                                                                                                                                                                                    |     |     |
| 55-01-4110 |     | -- Cmpt LED Strip Lt, (2) Ea Cmpt (approx 30")                                                                                                                                                                                                          | 1   | RAS |
| 55-01-4210 |     | -- Cmpt Lt, Mtng Door Jamb                                                                                                                                                                                                                              | 1   | RAS |
| 55-06-1400 |     | -- Cmpt Lt, Dr Swtch, Magnetic, Ea                                                                                                                                                                                                                      | 1   | RAS |
| 33-60-1800 |     | -- Rr Bdy, High Angle of Departure                                                                                                                                                                                                                      | 1   | RAS |
| 33-61-1100 |     | -- Rr Step, Pmpr-Tnkr Bdy, Bolt-On, 8"                                                                                                                                                                                                                  | 1   | RAS |
| 90-02-4100 |     | Ladder Strge, In Hosebed, With Dr                                                                                                                                                                                                                       | 1   | RAS |
| 90-02-5310 |     | Ladder Mtg, Fldg Attic, Internal                                                                                                                                                                                                                        | 1   | RAS |
| 90-03-0225 |     | Ladders, Ground, Provd'd By Bdy Bldr, SD                                                                                                                                                                                                                | 1   | RAS |
| 90-16-5400 |     | Pike Pole Mtg, In Ladder Tunnel, Ea                                                                                                                                                                                                                     | 1   | RAS |
| 90-16-6115 | >   | Pike Pole Provd'd By, Bdy Bldr SD                                                                                                                                                                                                                       | 1   | RAS |
| 90-25-7700 |     | Suction Hose Cmpt, Abv Comp'ts, Left Side TP (Ea)                                                                                                                                                                                                       | 1   | RAS |
| 90-02-2900 |     | -- Cmpt Door, Alum Treadplate                                                                                                                                                                                                                           | 1   | RAS |
| 90-25-7800 |     | Suction Hose Cmpt, Abv Comp'ts, Right Side TP (Ea)                                                                                                                                                                                                      | 1   | RAS |
| 90-02-2900 |     | -- Cmpt Door, Alum Treadplate                                                                                                                                                                                                                           | 1   | RAS |
| 90-25-9115 | >   | Suction Hose Provd'd By, Bdy Bldr, SD                                                                                                                                                                                                                   | 1   | RAS |
|            |     | == Pumper/Tanker-Common Body Parts - 822.160 08/22/16 ==                                                                                                                                                                                                | 1   | RAS |
| 33-66-1140 |     | -- Steps, Fldg, Frnt, Left Hand (3), Integral LED Lts                                                                                                                                                                                                   | 1   | RAS |
| 33-70-3600 |     | -- Handrails, Pmpr, Top of Bdy Sides, Frnt, 12", Pair                                                                                                                                                                                                   | 1   | RAS |
| 44-01-1450 |     | -- Bdy Trim, Frnt Cmpt, Ht of Side Cmpts, Alum T/P                                                                                                                                                                                                      | 1   | RAS |
|            |     | <b>Rr BODY DESIGN - PUMPER/TANKER</b>                                                                                                                                                                                                                   | 1   | RAS |
| 44-01-4000 |     | -- Bdy Trim, Entire Rr Bdy, Smooth for Chevron Stripe                                                                                                                                                                                                   | 1   | RAS |
| 33-62-3099 | S < | -- I-Zone, foldout hose hooks, Cast Products                                                                                                                                                                                                            | 1   | RAS |
|            |     | NOTE: Cast Products- FA2011-5 Right opening and FA2011-5-A Left opening                                                                                                                                                                                 |     |     |
|            |     | <b><u>I-ZONE FOLDING HOSE HOOKS</u></b>                                                                                                                                                                                                                 |     |     |
|            |     | Two (2) cast products FA2011-5 I-Zone hose hanger assemblies will be provided. There shall be one (1) left and one (1) right opening hook mounted on the rear of the body. Exact location will be determined at during the pre-construction conference. |     |     |
|            |     | Approximent location will be located below the rear scene lights.                                                                                                                                                                                       |     |     |

| PART NO                                                                                                                                                                                                                                                                                                                                        | S     | DESCRIPTION                                                                                                                                                                                                                                                                                                        | QTY | ID  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 33-62-4120                                                                                                                                                                                                                                                                                                                                     |       | -- Steps, Fldg, Rear, Left Hand (2), Integral LED Lts                                                                                                                                                                                                                                                              | 1   | RAS |
| 33-62-4220                                                                                                                                                                                                                                                                                                                                     |       | -- Steps, Fldg, Rear, Right Hand (2), Integral LED Lts                                                                                                                                                                                                                                                             | 1   | RAS |
| 33-62-5300                                                                                                                                                                                                                                                                                                                                     |       | -- <b>Step, Bltd, Treadplate, Rr Intermediate, 48"</b>                                                                                                                                                                                                                                                             | 1   | RAS |
| 33-62-6100                                                                                                                                                                                                                                                                                                                                     | S <   | -- <b>S.O.R. / Full Width Fold Down Rr Step</b><br><a href="http://www.buyersproducts.com/truck-trailer-hardware/Steps/Cable-Steps/cable-step-9-t-x-12-w-1-3-8-perforated-step/1480/">http://www.buyersproducts.com/truck-trailer-hardware/Steps/Cable-Steps/cable-step-9-t-x-12-w-1-3-8-perforated-step/1480/</a> | 1   | RAS |
| <b><u>REAR CABLE STEP</u></b>                                                                                                                                                                                                                                                                                                                  |       |                                                                                                                                                                                                                                                                                                                    |     |     |
| Two (2) steps shall be located on the rear tailboard. The stepping surface shall be fabriacted of gripstrut with galvanized steel cable for flexibility.                                                                                                                                                                                       |       |                                                                                                                                                                                                                                                                                                                    |     |     |
| <ul style="list-style-type: none"> <li>• 1-1/4" Galvanized wire cable</li> <li>• Cable welded to 1-1/2" pipe sleeve ends</li> <li>• 1-3/8" Deep perforated metal grip step</li> <li>• Black powder coat finish</li> <li>• Flexible &amp; durable to resist damage</li> <li>• Simply weld pipe sleeves to underside of bumper or bod</li> </ul> |       |                                                                                                                                                                                                                                                                                                                    |     |     |
| 38-83-3500                                                                                                                                                                                                                                                                                                                                     |       | -- <b>Steps, Pull Out Step, 500# Slides, Rr</b>                                                                                                                                                                                                                                                                    | 1   | RAS |
| 33-70-1200                                                                                                                                                                                                                                                                                                                                     |       | -- Handrails, Rr Step, Vert, 30", Pair                                                                                                                                                                                                                                                                             | 1   | RAS |
| 33-70-2100                                                                                                                                                                                                                                                                                                                                     |       | -- Handrails, Pmpr, Below Hosebed, Horz, 48"                                                                                                                                                                                                                                                                       | 1   | RAS |
| 44-02-1100                                                                                                                                                                                                                                                                                                                                     |       | -- Rub Rails, Lwr Bdy, Extrd Alum                                                                                                                                                                                                                                                                                  | 1   | RAS |
| 44-02-2000                                                                                                                                                                                                                                                                                                                                     |       | -- Rub Rails, Spacers, Nylon                                                                                                                                                                                                                                                                                       | 1   | RAS |
| 44-11-5100                                                                                                                                                                                                                                                                                                                                     |       | <b>Whl Well Prvsns, Ahd of Whls Left Side</b>                                                                                                                                                                                                                                                                      | 1   | RAS |
| 44-10-7010                                                                                                                                                                                                                                                                                                                                     | S < > | -- <b>S.O.R. / Whl Well Cmpt, (2) SCBA, (1) Wheel Chock, storage Drager, 4500 PSI, 45 min. 7.25" D x 21" L</b>                                                                                                                                                                                                     | 1   | RAS |
| <b>Zico Medium chock</b>                                                                                                                                                                                                                                                                                                                       |       |                                                                                                                                                                                                                                                                                                                    |     |     |
| One (1) compartment shall be constructed to hold the following provisions. Two (2) SCBA cylinders with retention straps (not supplied), wheel chock storage compartment for one (1) wheel chock shall be provided and a one adjustable with turtle tile on shelf and floor located in the wheel well of the apparatus body.                    |       |                                                                                                                                                                                                                                                                                                                    |     |     |
| The storage compartment shall be constructed entirely of aluminum. The door assemblies shall be provided with a gasket between door and body side, bolted in-place and removable for repair or replacement. A painted door shall be provided.                                                                                                  |       |                                                                                                                                                                                                                                                                                                                    |     |     |
| 44-11-5300                                                                                                                                                                                                                                                                                                                                     |       | Whl Well Prvsns, Bhnd Whls Left Side                                                                                                                                                                                                                                                                               | 1   | RAS |
| 44-10-2300                                                                                                                                                                                                                                                                                                                                     | < >   | -- <b>Whl Well Cmpt, Dual SCBA Tube, Pntd Alum Dr</b><br>Drager, 4500 PSI, 45 min. 7.25" D x 21" L                                                                                                                                                                                                                 | 1   | RAS |
| 44-10-6000                                                                                                                                                                                                                                                                                                                                     |       | -- <b>Whl Well Cmpt, SCBA Cmpt Straps</b>                                                                                                                                                                                                                                                                          | 2   | RAS |
| 44-11-5500                                                                                                                                                                                                                                                                                                                                     |       | <b>Whl Well Prvsns, Ahd of Whls Right Side</b>                                                                                                                                                                                                                                                                     | 1   | RAS |
| 44-10-7010                                                                                                                                                                                                                                                                                                                                     | S < > | -- <b>S.O.R. / Whl Well Cmpt, (2) SCBA, (1) Wheel Chock, storage Drager, 4500 PSI, 45 min. 7.25" D x 21" L</b>                                                                                                                                                                                                     | 1   | RAS |

| PART NO    | S | DESCRIPTION                                                                                                                                                                                                                                                                                     | QTY | ID  |
|------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
|            |   | <b>Zico Medium chock</b>                                                                                                                                                                                                                                                                        |     |     |
|            |   | One (1) compartment shall be constructed to hold the following provisions. Two (2) SCBA cylinders with retention straps (not supplied), wheel chock storage compartment for one (1) wheel chock shall be provided and turtle tile on the floor located in the wheel well of the apparatus body. |     |     |
|            |   | The storage compartment shall be constructed entirely of aluminum. The door assemblies shall be provided with a gasket between door and body side, bolted in-place and removable for repair or replacement. A painted door shall be provided.                                                   |     |     |
| 44-11-5700 |   | <b>Whl Well Prvsns, Bhnd Whls Right Side</b>                                                                                                                                                                                                                                                    | 1   | RAS |
| 44-10-4200 | > | <b> -- Whl Well Cmpt, Extngshr, Pntd Alum Dr</b>                                                                                                                                                                                                                                                | 1   | RAS |
| 44-10-6000 |   | <b> -- Whl Well Cmpt, SCBA Cmpt Straps</b>                                                                                                                                                                                                                                                      | 1   | RAS |
| 44-20-3200 | < | <b> -- Roof Cmpt, Frnt, (1) &gt;21"D x 48"W x 46"L, Dr</b>                                                                                                                                                                                                                                      | 1   | RAS |
|            |   | <b>&gt;&gt;For area above fill towers, forward of the front of body bulkhead.</b>                                                                                                                                                                                                               |     |     |
| 45-30-2200 |   | <b> -- Turtle Tile, Floor, Roof Cmpts, &lt;30"L</b>                                                                                                                                                                                                                                             | 1   | RAS |
| 55-04-2410 |   | <b> -- Cmpt Lt, Dr, LED, (2) On Dr, Truck-Lite Super 44</b>                                                                                                                                                                                                                                     | 1   | RAS |
| 55-06-1100 |   | <b> -- Cmpt Lt, Dr Swtch, Auto, Ea</b>                                                                                                                                                                                                                                                          | 1   | RAS |
|            |   | <b>== Pumper/Tanker-AC Electrical System - 822.160 08/22/16 ==</b>                                                                                                                                                                                                                              | 1   | RAS |
|            |   | <b>== Pumper/Tanker-Equipment Systems - 822.160 08/22/16 ==</b>                                                                                                                                                                                                                                 | 1   | RAS |
| 77-10-8400 |   | <b>Rcv'r, Frnt, Winch/Rope, 12,000#</b>                                                                                                                                                                                                                                                         | 1   | RAS |
| 77-10-8700 |   | <b>Rcv'r, Rr, Winch/Rope/Trailer, 12,000#</b>                                                                                                                                                                                                                                                   | 1   | RAS |
| 77-10-9000 |   | <b>Rcv'r, Bdy Side, Winch/Rope, 12,000# w/Rcv'r, Each</b>                                                                                                                                                                                                                                       | 2   | RAS |
| 77-10-9480 |   | <b>Rcv'r for Rope Tie Off, Extra, 12000#</b>                                                                                                                                                                                                                                                    | 1   | RAS |
|            |   | <b>== Pumper/Tanker - Single Axle - Pnt/Ltr/St - 822.160 08/22/16 ==</b>                                                                                                                                                                                                                        | 1   | RAS |
| 80-05-1200 |   | <b>Bdy Paint, Sngl Axle, Pmpr/Tnkr - Sngl Color</b>                                                                                                                                                                                                                                             | 1   | RAS |
| 80-06-1100 | < | <b> -- Apparatus Color</b>                                                                                                                                                                                                                                                                      | 1   | RAS |
|            |   | <b>PPG FDG - Red - 4217</b>                                                                                                                                                                                                                                                                     |     |     |
| 80-30-1200 |   | <b>Cmpt Finish, Spatter Coat, Up to 8 Cmpts</b>                                                                                                                                                                                                                                                 | 1   | RAS |
| 80-40-1100 |   | <b>Whls, Alum, By the Chassis Manufacturer</b>                                                                                                                                                                                                                                                  | 1   | RAS |
| 80-42-1500 |   | <b>Bdy Paint, Touch Up, 2 oz. Bttl, One Color</b>                                                                                                                                                                                                                                               | 1   | RAS |
| 80-50-1700 |   | <b>Lettering, 4" Mylar Gold Leaf, 50 Letters</b>                                                                                                                                                                                                                                                | 1   | RAS |
| 80-50-3600 | > | <b>Lettering, 8-12" Scotchlite Reflect, 30 Letters</b>                                                                                                                                                                                                                                          | 1   | RAS |
| 80-65-1300 |   | <b>Dr Seals, Install Cstmer Frnshd</b>                                                                                                                                                                                                                                                          | 1   | RAS |
| 80-71-1400 | > | <b>Stripe, Triple Reflective, 1" x 6" x 1"</b>                                                                                                                                                                                                                                                  | 1   | RAS |
| 80-75-1600 |   | <b> -- Reflective Stripe Material, White</b>                                                                                                                                                                                                                                                    | 1   | RAS |
| 80-72-1100 |   | <b>Stripe, Reflective 3M, Chevron Pattern Entire Rr Red/Yellow</b>                                                                                                                                                                                                                              | 1   | RAS |
|            |   | <b>== Pumper/Tanker - Loose Equipment - 822.160 08/22/16 ==</b>                                                                                                                                                                                                                                 | 1   | RAS |
| 90-01-5300 |   | <b>Whl Chocks, Alum, (2) Medium</b>                                                                                                                                                                                                                                                             | 1   | RAS |
| 90-07-4060 | S | <b> -- S.O.R. / Ladder, Ext, Duo-Safety, 20' Alum, 3 Sect 912-100</b>                                                                                                                                                                                                                           | 1   | RAS |
|            |   | <b><u>EXTENSION LADDER</u></b>                                                                                                                                                                                                                                                                  |     |     |
|            |   | One (1) Duo-Safety Model 912-100, 20 foot three (3) section aluminum extension ladder shall be provided on the apparatus. The ladder shall meet or exceed all the latest NFPA standards.                                                                                                        |     |     |
| 90-08-2400 |   | <b> -- Ladder, Attic, Duo-Safety, 8' Alum, Fold 585-A</b>                                                                                                                                                                                                                                       | 1   | RAS |
| 90-16-2700 |   | <b> -- Pike Pole, 8' Fbgls, I-Beam Hndl</b>                                                                                                                                                                                                                                                     | 1   | RAS |

| PART NO    | S | DESCRIPTION                                                                                                                               | QTY | ID  |
|------------|---|-------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|
| 90-23-0299 |   | > === Fire Hooks Unlmt'd Roof, Trash, Drywall Hooks ===                                                                                   | 1   | RAS |
| 90-23-1300 |   | -- Hook, Roof NY, w/ Grips, 6-ft, Fire Hooks Unlmt'd                                                                                      | 1   | RAS |
| 90-25-2900 | S | S.O.R. / Suction Hose, Flex, PVC, 5"x8'                                                                                                   | 2   | RAS |
|            |   | <u>SUCTION HOSE</u>                                                                                                                       |     |     |
|            |   | Two (2) 5.0" x 8 foot length of PVC flexible suction hose shall be supplied. The suction hose shall have light weight couplings provided. |     |     |
| 90-25-6100 |   | -- Suction Hose Cplgs, Alum, LH FM x RLM                                                                                                  | 2   | RAS |
| 90-26-1500 |   | Suction Strainer, Barrel Type, 5", KocheK #BS50                                                                                           | 1   | RAS |
| 90-35-1900 |   | Emrgncy Road Kit - DOT Required                                                                                                           | 1   | RAS |
| 90-47-0100 |   | Miscellaneous Loose Hardware, Bolts-Nuts-Washers-Screws                                                                                   | 1   | RAS |